

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	74561	(reduc\$3 or decreas\$3 or low\$3) with (tim\$3 or period\$3 or interval) with (reconnect\$3 or connect\$3 or session)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/17 08:14
L2	1202	(reduc\$3 or decreas\$3 or low\$3) with (tim\$3 or period\$3 or interval) with (reconnect\$3 or connect\$3 or session) and wir\$3 and LAN and WAN	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/17 08:17
L3	1212	(reduc\$3 or decreas\$3 or low\$3) with (tim\$3 or period\$3 or interval) with (fail\$3 or loss\$3 or unabl\$3 or "not") with (reconnect\$3 or connect\$3 or session) and @ad<"20030627"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/17 08:21
L5	1	(reduc\$3 or decreas\$3 or low\$3) with (tim\$3 or period\$3 or interval) with (fail\$3 or loss\$3 or unabl\$3 or "not") with (reconnect\$3 or connect\$3 or session) and @ad<"20030627" and (detect\$3 or monitor\$3 or fin\$3) with network\$3 with (switch\$3 or chang\$3 or swap\$3) with (provider or sources or wir\$3 or wireless or (wire with area with wireless) or dial\$1up)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/17 08:27
L6	68	(reduc\$3 or decreas\$3 or low\$3) with (tim\$3 or period\$3 or interval) with (fail\$3 or loss\$3 or unabl\$3 or "not") with (reconnect\$3 or connect\$3 or session) and @ad<"20030627" and (detect\$3 or monitor\$3 or fin\$3) with (switch\$3 or chang\$3 or swap\$3 or adjust\$3) with (provider or source or wir\$3 or wireless or (wire with area	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/17 08:29

		with wireless) or dial\$1up)				
L8	1	(reduc\$3 or decreas\$3 or low\$3) with (tim\$3 or period\$3 or interval) with (fail\$3 or loss\$3 or unabl\$3 or "not") with (reconnect\$3 or connect\$3 or session) and @ad<"20030627" and (detect\$3 or monitor\$3 or fin\$3) with (switch\$3 or chang\$3 or swap\$3 or adjust\$3) with (provider or source or wir\$3 or wireless or (wire with area with wireless) or dial\$1up) and online	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/17 08:32
L9	15	(reduc\$3 or decreas\$3 or low\$3) with (tim\$3 or period\$3 or interval) with (fail\$3 or loss\$3 or unabl\$3 or "not") with (reconnect\$3 or connect\$3 or session) and @ad<"20030627" and (provider or source or wir\$3 or wireless or (wire with area with wireless) or dial\$1up) and online	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/17 08:34
L10	2	(reduc\$3 or decreas\$3 or low\$3) with (period\$3 or interval) with time with (fail\$3 or loss\$3 or unabl\$3 or "not") with (reconnect\$3 or connect\$3) and @ad<"20030627" and (provider or (wir\$3 with network) or (wireless with network) or (wire with area with wireless) or dial\$1up) and online	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/17 08:53
L13	2	(reduc\$3 or decreas\$3 or low\$3) with (period\$3 or interval) with time same (fail\$3 or loss\$3 or unabl\$3 or "not") with (reconnect\$3 or connect\$3) and @ad<"20030627" and online	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/17 08:54

L14	145	(reduc\$3 or decreas\$3 or low\$3) with (period\$3 or interval) with time same (reconnect\$3 or connect \$3) and @ad<"20030627" and online	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/17 08:55
L15	33	(reduc\$3 or decreas\$3 or low\$3) with (period\$3 or interval) with time same (reconnect\$3 or connect \$3) and @ad<"20030627" and online with connect\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/17 08:56
L16	34	(reduc\$3 or decreas\$3 or low\$3) with (period\$3 or interval) with time same (reconnect\$3 or connect \$3) and @ad<"20030627" and online with connect\$6	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/17 08:56
L17	7	(reduc\$3 or decreas\$3 or low\$3) with (period\$3 or interval) with time with (reconnect\$3 or connect \$3) and @ad<"20030627" and online with connect\$6	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/17 08:59
L18	133	(reduc\$3 or decreas\$3 or low\$3) with (period\$3 or interval or time) with (reconnect\$3 or connect \$3) and @ad<"20030627" and online with connect\$6	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/17 09:11
L19	238	(reduc\$3 or decreas\$3 or low\$3) with (period\$3 or interval or time) with (reconnect\$3 or connect \$3) and @ad<"20030627" and online and (fail\$3 or disconnect\$3 or loos\$3 or loss) with connect\$6	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/17 09:12
L20	45	(reduc\$3 or decreas\$3 or low\$3) with (period\$3 or interval or time) with (reconnect\$3 or connect \$3) and @ad<"20030627" and online with connect\$6 and (fail\$3 or disconnect \$3 or loos\$3 or loss) with connect\$6	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/17 09:13

L21	2	(reduc\$3 or decreas\$3 or low\$3) with (period\$3 or interval or time) with re \$1connect\$3 and @ad<"20030627" and online with connect\$6 and (fail\$3 or disconnect\$3 or loos\$3 or loss) with connect\$6	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/17 09:17
L26	12	(reduc\$3 or decreas\$3 or low\$3) with (period\$3 or interval or time) with re \$1connect\$3 and @ad<"20030627" and online and set\$4 with (time or period)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/17 09:21
L27	14	(reduc\$3 or decreas\$3 or low\$3) with (period\$3 or interval or time) with re \$1connect\$3 and @ad<"20030627" and online and (re\$1connect \$6 or re\$1schedul\$3 or re \$1establish\$3) with (time or period)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/17 09:25
L30	13	(reduc\$3 or decreas\$3 or low\$3) with (period\$3 or interval or time) with re \$1connect\$3 and @ad<"20030627" and online and (re\$1connect \$6 or re\$1schedul\$3 or re \$1establish\$3) with (time or period) and (inoperabl \$3 or disconnect\$3 or fail \$3 or fault\$3) with connect \$6	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/17 09:56
L31	13	(reduc\$3 or decreas\$3 or low\$3) with (period\$3 or interval or time) with re \$1connect\$3 and @ad<"20030627" and online and (re\$1connect \$6 or re\$1schedul\$3 or re \$1establish\$3) with (time or period) and (inoperabl \$3 or disconnect\$3 or fail \$3 or fault\$3 or corrupt \$3) with connect\$6	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/17 09:57

L33	13	(reduc\$3 or decreas\$3 or low\$3) with (period\$3 or interval or time) with re \$1connect\$3 and @ad<"20030627" and online and (re\$1connect \$6 or re\$1schedul\$3 or re \$1establish\$3) with (time or period) and (inoperabl \$3 or disconnect\$3 or fail \$3 or fault\$3 or corrupt \$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/17 10:00
L34	6	(reduc\$3 or decreas\$3 or low\$3) with (period\$3 or interval or time) with re \$1connect\$3 and @ad<"20030627" and online and (re\$1connect \$6 or re\$1schedul\$3 or re \$1establish\$3) with (time or period) and (inoperabl \$3 or disconnect\$3 or fail \$3 or fault\$3 or corrupt \$3) with delay\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/17 10:00

8/ 17/ 2008 10:07:54 AM